SAFETY DATA SHEET PORTUX 3D AISLANTE / PORTUX 3D INSULATOR DPDDFS-129

1 PRODUCT IDENTIFICATION

new stetic

- 1.1 Chemical name: Not applicable
- 1.2 Generic name: 3D insulator for resin models
- 1.3 Synonyms: Resin-resin release agent, 3D insulator, resin separator
- 1.4 Recommended use and restrictions on use of the product: Recommended use: 3D insulator to prevent adhesion between resin models and self-, heatand light-curing acrylics Restrictions: This product does not present biocompatibility restrictions since it is not a medical device that goes in the mouth of patients.
- 1.5 Emergency number: In case of emergency, contact the Occupational Health and Safety Coordination at (604) 403 87 60, ext. 1304, 1306.

2 HAZARD IDENTIFICATION

2.1 GHS Classification:

Health	Environment	Physicists
Corrosion / Skin Irritation /	Acute toxicity	
Category 2	Category 2	
Serious eye damage / Eye		Not applicable
irritation / Category 2	Chronic toxicity	
Skin Sensitization / Category 2	Category 2	

2.2 GHS Labeling:

Symbol	Word of warning	Indication of danger
	Attention	H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.
¥2	Attention	H400: Very toxic to aquatic life. H410: Very toxic to aquatic life, with long-lasting harmful effects

2.3 Precautionary statements:

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

Creat	tion Date	Prepared by:	Reviewed by:	
202	5-07-10	Research Analyst	Technical Coordinator of Medical Devices	
Class	page	Approved by	Update: Vers	
D	1 of 7	Technical Director of Medical Devices	2025-07-10	00
	DATE: 2023-11	NT: DPDDPR-003 -29		

SAFETY DATA SHEET PORTUX 3D AISLANTE / PORTUX 3D INSULATOR DPDDFS-129

P280: Wear protective gloves/protective clothing/eye protection/face protection.

- 2.4 Appearance in case of emergency: None
- 2.5 Potential adverse health effects: This product has no adverse health implications under normal conditions of use, treatment, and storage.
- 2.6 NFPA: Not Applicable

new stetic

2.7 OSHA Regulatory Status: Non-Hazardous.

3 COMPOSITION INFORMATION

HAZARDOUS COMPONENTS					
Common name Concentration CAS number					
Low molecular weight alcohols	<45%	Not applicable			
Inhibitor <0.5% Not applicable					

NON-HAZARDOUS COMPONENTS						
Common name Concentration CAS number						
Biocompatible polymer	<10	Not applicable				
Aqueous solvent	<40	Not applicable				
Plasticizer	<4.5	Not applicable				

4 FIRST AID MEASURES

- 4.1 Emergency procedures and first aid in case of:
- Inhalation: Move to a well-ventilated area. Seek medical attention immediately if irritation or prolonged discomfort occurs.
- Eye contact: Rinse immediately with plenty of water for at least 10 minutes. If discomfort persists, consult an ophthalmologist immediately.
- Skin contact: Wash with plenty of soap and water. If irritation or inflammation occurs, consult a doctor immediately.
- Ingestion: Rinse your mouth and drink plenty of water. Do not induce vomiting and seek medical advice immediately.
- 4.2 Most important symptoms/effects (acute and/or delayed):
- Inhalation: High vapor concentrations may cause respiratory tract irritation, and prolonged inhalation may cause dizziness and headaches, and may cause drowsiness or vertigo.
- Eye contact: Direct contact with the eyes may cause irritation and discomfort, with burning and itching sensations.
- Skin contact: Prolonged exposure may cause irritation, inflammation, itching or dryness.

Creat	ion Date	Prepared by:	Reviewed by:		
202	5-07-10	Research Analyst	Technical Coordinator of Medical Devices		
Class	page	Approved by	Update:	Version	
D	2 of 7	Technical Director of Medical Devices	2025-07-10	00	
REFERENCE DOCUMENT: DPDDPR-003					
JPDATE D	DATE: 2023-1	1-29			

SAFETY DATA SHEET PORTUX 3D AISLANTE / PORTUX 3D INSULATOR DPDDFS-129

- Ingestion: Information not available.
- 4.3 Antidote: Not applicable.

new stetic

4.4 Information for physicians: Not applicable.

5 FIRE MEASURES

- 5.1 Flammability properties: Flammable product.
- 5.2 Suitable extinguishing media: Have CO2 or extinguishing powder available. _{Fight} larger fires with water-resistant or alcohol-resistant foam.
- 5.3 Unsuitable extinguishing media: Water may be ineffective.
- 5.4 Fire Fighting Instructions: Standard Procedures for Class A Fires.
- 5.5 Firefighter Protection: Combustion of this product may release toxic vapors. Closed containers containing this product may rupture violently.
- 5.6 Protective and protective equipment for firefighters: Normal firefighting clothing, i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (specification HO A29 and A30) in combination with open circuit positive pressure compressed air self-contained breathing apparatus (BS EN 137).

6 ACCIDENTAL RELEASE MEASURES

6.1 Techniques, procedures, materials, and protective equipment: Small spills: Collect by hand using absorbent paper. Dispose of contaminated paper according to internal chemical waste regulations. Protective eyewear and gloves must be worn during this process.

Large spills: Use a plastic spatula or broom to sweep the spilled liquid into a container. Clean up any remaining spills with alcohol and absorbent cloths.

- 6.2 Environmental precautions: The product must not enter the sewage system or come into contact with surface or groundwater.
- 6.3 Other considerations: Contaminated disposable material used to clean up spills must be disposed of in accordance with established provisions.

Creat	tion Date	Prepared by:	Reviewed by:			
202	5-07-10	Research Analyst	Technical Coordinator of Medical Devices			
Class	page	Approved by	Update:	Version		
D	3 of 7	Technical Director of Medical Devices	2025-07-10	00		
REFEREN	REFERENCE DOCUMENT: DPDDPR-003					
UPDATE DATE: 2023-11-29						
VERSIÓN:	VERSIÓN: 07					

SAFETY DATA SHEET PORTUX 3D AISLANTE / PORTUX 3D INSULATOR DPDDFS-129

7 HANDLING AND STORAGE

new stetic

- 7.1 Handling: Safe handling precautions should be taken before handling the product; refer to all other sections of this Material Safety Data Sheet. Avoid release of the product into the environment. Do not eat, drink, or smoke during handling.
- 7.2 Storage: Store the product at a temperature not exceeding 30°C (86 °F). Keep it sealed before and after use in a cool, dry place away from direct light. Keep the product away from potential ignition sources. Avoid consuming and storing food and beverages near the product.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

- 8.1 Conditions to control exposure: Do not eat, drink, or smoke while handling the product.
- 8.2 Exposure parameters: Not available.
- 8.3 Engineering Controls: Appropriate ventilation or air extraction should be provided where the product is handled to prevent prolonged exposure to vapors. Avoid areas with porous walls and floors.
- 8.4 Personal protective equipment: Wear protective equipment such as gloves, a lab coat, and safety glasses when handling the product. If the work area is poorly ventilated, use a respirator with a filter.
- 8.5 Environmental Exposure Control: Emissions generated by the manufacturing process, including those generated by ventilation equipment, must be verified to ensure compliance with environmental standards.

9 PHYSICAL AND CHEMICAL PROPERTIES

- Appearance: Translucent viscous liquid
- Odor: alcoholic solvent
- Odor threshold: Not available
- Physical state: Liquid
- pH: Not available
- Freezing or melting point: Not available
- Evaporation rate: Not available
- Initial boiling point and boiling range: Not available
- Flash point: > Not available
- Evaporation rate: Not available
- Flammability (solid gas): Not available
- Upper/lower flammability or explosion limit: Not available
- Vapor Pressure: Not available
- Vapor density: Not available

Creati	on Date	Prepared by:	Reviewed by:	
2025	-07-10	Research Analyst	Technical Coordinator of Medical Devices	
Class	page	Approved by	Update:	Version
D	4 of 7	Technical Director of Medical Devices	2025-07-10	00

SAFETY DATA SHEET PORTUX 3D AISLANTE / PORTUX 3D INSULATOR DPDDFS-129

- Specific gravity or relative density: Not available
- Solubility in water: Soluble

new stetic

- Partition coefficient: n-octanol/water: Not available
- Auto-ignition temperature: Not available
- Decomposition temperature: Not available
- Heat value: Not available
- Particle size: Not available
- Volatile organic compound content: Not available
- Softening point: Not available
- Pour point: Not available
- Viscosity: 2000-3000 cP
- Bulk density: Not available
- Volatility Percentage: Not available
- Saturated vapor concentration: Not available
- Molecular weight: Not available
- Molecular formula: Not available
- Other information: Not available

10 STABILITY AND REACTIVITY

- 10.1 Chemical stability: The product is stable under normal conditions of use and storage.
- 10.2 Possibility of hazardous reactions: The product reacts in the presence of strong oxidizing agents, alkaline materials, and strong acids.
- 10.3 Conditions to avoid: Exposure to UV light or sunlight. Keep the product in its original, properly sealed container, away from direct light and heat.
- 10.4 Incompatibility with other materials: Strong acids, strong bases, organic peroxides and hydroperoxides.
- 10.5 Hazardous decomposition products: Information not available.
- 10.6 Hazardous polymerization: Not available.

11 TOXICOLOGICAL INFORMATION

- 11.1 Possible routes of exposure: Respiratory, cutaneous, and digestive
- 11.2 Acute toxicity: Data not available.
- 11.3 Chronic toxicity: Data not available.
- 11.4 Other information: Not available

12 ECOLOGICAL INFORMATION

Creat	ion Date	Prepared by:	Reviewed by:	
202	5-07-10	Research Analyst	Technical Coordinator of Medical Devices	
Class	page	Approved by	Update:	Version
D	5 of 7	Technical Director of Medical Devices	2025-07-10	00
REFEREN	CE DOCUMEI	NT: DPDDPR-003		

SAFETY DATA SHEET PORTUX 3D AISLANTE / PORTUX 3D INSULATOR DPDDFS-129

- 12.1 Ecotoxicity: There is insufficient data collected to support this item. However, disposing of large quantities of the product in liquid form into water sources may be harmful to the ecosystem.
- 12.2 Persistence and degradability: Information not available.
- 12.3 Bioaccumulative potential: Information not available.
- 12.4 Mobility in soil: Information not available.

new stetic

12.5 Other adverse effects: Information not available.

13 DISPOSITION CONSIDERATIONS

Do not dispose of this product in water sources or sewage systems. This product must not be disposed of in soil or subsoil. Disposal must be carried out by an authorized waste management company, in accordance with national and local regulations.

Solid waste may be suitable for disposal in an authorized landfill and must be recovered or disposed of in accordance with national waste management regulations.

WARNING: Local laws, regulations, and restrictions may change or be reinterpreted, and may differ from national laws, so disposal considerations for materials and packaging may vary from those stated herein.

14 TRANSPORTATION INFORMATION

- 14.1 Hazardous material: Non-hazardous
- 14.2 Risk class: None
- 14.3 UN number: UN3082.
- 14.4 IATA Classification: Not applicable.
- 14.5 Packing group: None
- 14.6 Marine Pollutant (Yes/No): Yes

15 REGULATORY INFORMATION

- 15.1 In Colombia: No component listed or Check current local regulations.
- 15.2 International: No components listed or Check local regulations.

16 OTHER IMPORTANT INFORMATION

The information contained in this document is based on our current knowledge and is given in good faith, but no warranty is expressed or implied, nor is any liability assumed for improper handling of the product. This document is prepared in accordance with:

Creat	tion Date	Prepared by:	Reviewed by:	
202	5-07-10	Research Analyst	Technical Coordinator of Medical Devices	
Class	page	Approved by	Update:	Version
D	6 of 7	Technical Director of Medical Devices	2025-07-10	00
REFEREN	CE DOCUME	NT: DPDDPR-003		
UPDATE D	DATE: 2023-1	1-29		
VERSIÓN:	07			

SAFETY DATA SHEET PORTUX 3D AISLANTE / PORTUX 3D INSULATOR DPDDFS-129

new stetic

- Globally Harmonized System of Classification and Labeling of Chemicals GHS (Globally Harmonized System of Classification and Labeling of Chemicals).
- Colombian technical standard NTC 4435:2010. Transport of Goods. Material Safety Data Sheets. Preparation.

Creat	ion Date	Prepared by:	Reviewed by: Technical Coordinator of Medical Device	
202	5-07-10	Research Analyst		
Class	page	Approved by	Update:	Version
D	7 of 7	Technical Director of Medical Devices	2025-07-10	00
REFEREN	CE DOCUME	NT: DPDDPR-003		
JPDATE D	DATE: 2023-1	1-29		
/ERSIÓN:	07			